

	Type	Hits	Search Text	DBs
1	BRS	1	("OVP" or (over adj head adj projector)) and (dove near1 prism\$1)	USPAT; US-PGPUB; EPO; JPO
2	BRS	1	("OVP" or (over adj head adj (projector or (project\$3 adj (device or unit or system or apparatus)))) and (dove near1 prism\$1)	USPAT; US-PGPUB; EPO; JPO
3	BRS	1	("OVP" or (over adj head adj (projector or (project\$3 adj (device or unit or system or apparatus)))) and (dove with prism\$1)	USPAT; US-PGPUB; EPO; JPO
4	BRS	49	353/\$ and (dove near prism\$1)	USPAT; US-PGPUB; EPO; JPO
5	BRS	0	353/\$ and (dove near prism\$1) and (over adj head)	USPAT; US-PGPUB; EPO; JPO
6	IS&R	517	(353/119).CCLS.	USPAT; US-PGPUB; EPO; JPO
7	BRS	0	((353/119).CCLS.) and (dove with prism\$1)	USPAT; US-PGPUB; EPO; JPO
8	BRS	0	359/\$ and (dove near prism\$1) and ((over adj head) or "OVP")	USPAT; US-PGPUB; EPO; JPO
9	BRS	0	349/\$ and (dove near prism\$1) and ((over adj head) or "OVP")	USPAT; US-PGPUB; EPO; JPO
10	IS&R	63	(349/6).CCLS.	USPAT; US-PGPUB; EPO; JPO
11	BRS	0	((349/6).CCLS.) and (dove near prism\$1) and ((over adj head) or "OVP")	USPAT; US-PGPUB; EPO; JPO
12	BRS	0	((349/6).CCLS.) and (dove near prism\$1)	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
13	BRS	0	362/\$ and (dove near prism\$1) and ((over adj head) or "OVP")	USPAT; US-PGPUB; EPO; JPO
14	BRS	1	(dove near prism\$1) and ((over adj head) or "OVP")	USPAT; US-PGPUB; EPO; JPO
15	BRS	775	(dove near prism\$1)	USPAT; US-PGPUB; EPO; JPO
16	BRS	152	(dove near prism\$1) and (projector or (project\$3 adj (device or unit or system or apparatus)))	USPAT; US-PGPUB; EPO; JPO
17	BRS	28	(dove near prisms) and (projector or (project\$3 adj (device or unit or system or apparatus)))	USPAT; US-PGPUB; EPO; JPO
18	IS&R	4	((("5214528") or ("5365288") or ("2966096") or ("6765544")).PN.	USPAT; US-PGPUB; EPO; JPO
19	BRS	3	((("5214528") or ("5365288") or ("2966096") or ("6765544")).PN.) and mirror	USPAT; US-PGPUB; EPO; JPO
20	BRS	2	((("5214528") or ("5365288") or ("2966096") or ("6765544")).PN.) and mirror and project	USPAT; US-PGPUB; EPO; JPO
21	BRS	3	((("5214528") or ("5365288") or ("2966096") or ("6765544")).PN.) and mirror and project\$3	USPAT; US-PGPUB; EPO; JPO
22	BRS	3	((("5214528") or ("5365288") or ("2966096") or ("6765544")).PN.) and mirror and project\$3 and dove	USPAT; US-PGPUB; EPO; JPO
23	IS&R	31	(353/DIG.6).CCLS.	USPAT; US-PGPUB; EPO; JPO
24	BRS	2	((353/DIG.6).CCLS.) and prism\$1	USPAT; US-PGPUB; EPO; JPO
25	BRS	0	("OVP" or (over adj head adj projector)) and (dove near1 prism\$1)	USOCR

	Type	Hits	Search Text	DBs
26	BRS	1	((dove near prism\$1) and ((over adj head) adj (projector or (project\$3 adj (device or unit or system or apparatus))) or "OVP"))	USPAT; US-PGPUB; EPO; JPO
27	BRS	102	((dove near prism\$1) with rotat\$3) and (projector or (project\$3 adj (device or unit or system or apparatus)))	USPAT; US-PGPUB; EPO; JPO
28	BRS	48	((dove near prism\$1) near1 rotat\$3) and (projector or (project\$3 adj (device or unit or system or apparatus)))	USPAT; US-PGPUB; EPO; JPO
29	BRS	27	((dove near prism\$1) near1 rotat\$3) and (projector or (project\$3 adj (device or unit or system or apparatus))) and prisms	USPAT; US-PGPUB; EPO; JPO
30	BRS	9	((dove near prism\$1) near1 rotat\$3) and (projector or (project\$3 adj (device or unit or system or apparatus))) and (dove near	USPAT; US-PGPUB; EPO; JPO
31	BRS	19	(US-6807022-\$ or US-6765566-\$ or US-6765544-\$ or US-RE38297-\$ or US-5999244-\$ or US-5923359-\$ or US-5365288-\$ or US-5191485-\$ or US-4048653-\$ or US-3894798-\$ or US-3872238-\$ or US-3848520-\$ or US-3822087-\$ or US-3774014-\$ or US-3708680-\$ or US-3624278-\$).did. or (US-20040130783-\$ or US-20030214692-\$ or US-20030025649-\$).did.	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
32	BRS	0	((US-6807022-\$ or US-6765566-\$ or US-6765544-\$ or US-RE38297-\$ or US-5999244-\$ or US-5923359-\$ or US-5365288-\$ or US-5191485-\$ or US-4048653-\$ or US-3894798-\$ or US-3872238-\$ or US-3848520-\$ or US-3822087-\$ or US-3774014-\$ or US-3708680-\$ or US-3624278-\$).did. or (US-20040130783-\$ or US-20030214692-\$ or US-20030025649-\$).did.) and ((over adj head) or "OVP")	USPAT; US-PGPUB; EPO; JPO
33	BRS	0	10/756607	USPAT; US-PGPUB; EPO; JPO
34	IS&R	1	("3928842").PN.	USPAT; US-PGPUB; EPO; JPO
35	BRS	28	(first adj dove adj prism) and (second adj dove prism)	USPAT; US-PGPUB; EPO; JPO
36	BRS	24	(first adj dove adj prism) and (second adj dove prism) and rotat\$3	USPAT; US-PGPUB; EPO; JPO
37	BRS	23	(first adj dove adj prism) and (second adj dove adj prism) and rotat\$3	USPAT; US-PGPUB; EPO; JPO
38	BRS	23	(first near dove near prism) and (second near dove near prism) and rotat\$3	USPAT; US-PGPUB; EPO; JPO
39	BRS	24	(two near dove near prism\$1) and rotat\$3	USPAT; US-PGPUB; EPO; JPO
40	BRS	10	("OVP" or (over adj head adj projector)) and prism\$1	USPAT; US-PGPUB; EPO; JPO
41	BRS	132	("OVP" or (over adj head adj projector)) and invert\$3	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
42	BRS	6	("OVP" or (over adj head adj projector)) and (invert\$3 near1 imag\$3)	USPAT; US-PGPUB; EPO; JPO
43	IS&R	65	(349/6).CCLS.	USPAT; US-PGPUB; EPO; JPO
44	IS&R	31	(353/DIG.6).CCLS.	USPAT; US-PGPUB; EPO; JPO
45	IS&R	15	(353/DIG.6).CCLS.	USOCR
46	BRS	3	((353/DIG.6).CCLS.) and prism\$1	USOCR
47	IS&R	0	(349/6).CCLS.	USOCR
48	BRS	0	("OVP" or (over adj head adj projector)) and (dove near1 prism\$1)	USOCR
49	BRS	17	("OVP" or (over adj head adj projector)) and prism\$1	USOCR
50	BRS	10	("OVP" or (over adj head adj projector)) and prism\$1 and rotat\$3	USOCR
51	BRS	1	("OVP" or (over adj head adj projector)) and ("K" adj mirror\$1)	USOCR

	Type	Hits	Search Text	DBs
52	IS&R	51	(("3918813") or ("5969859") or ("4248213") or ("5502873") or ("4857965") or ("4857966") or ("5015077") or ("6340983") or ("5796511") or ("5864418") or ("5923461") or ("6144483") or ("4532544") or ("4538992") or ("4960313") or ("4963962") or ("5416574") or ("5594711") or ("5721585") or ("5957838") or ("4024573") or ("4258976") or ("4447114") or ("4571028") or ("4930878") or ("5818496") or ("5981937") or ("4362225") or ("5061166") or ("5590504") or ("4852840") or ("4894925") or ("6231393") or ("6781278") or ("6140981") or ("3659855") or ("4479863") or ("4586205") or ("5047033") or ("5214989") or ("5253723") or ("5445483") or ("5720040") or ("5893306") or ("RE38058") or ("4274597") or ("4086733") or ("5559783") or ("5631774") or ("5707159")).PN.	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
53	BRS	1	((("3918813") or ("5969859") or ("4248213") or ("5502873") or ("4857965") or ("4857966") or ("5015077") or ("6340983") or ("5796511") or ("5864418") or ("5923461") or ("6144483") or ("4532544") or ("4538992") or ("4960313") or ("4963962") or ("5416574") or ("5594711") or ("5721585") or ("5957838") or ("4024573") or ("4258976") or ("4447114") or ("4571028") or ("4930878") or ("5818496") or ("5981937") or ("4362225") or ("5061166") or ("5590504") or ("4852840") or ("4894925") or ("6231393") or ("6781278") or ("6140981") or ("3659855") or ("4479863") or ("4586205") or ("5047033") or ("5214989") or ("5253723") or ("5445483") or ("5720040") or ("5893306") or ("RE38058") or ("4274597") or ("4086733") or ("5559783") or ("5631774") or ("5707159")).PN.) and projector	USPAT; US-PGPUB; EPO; JPO
54	IS&R	1	("4695155").PN.	USPAT; US-PGPUB; EPO; JPO
55	BRS	488	rotat\$3 with (dove near1 prism\$1)	USPAT; US-PGPUB; EPO; JPO
56	BRS	182	rotat\$3 near1 dove near1 prism\$1	USPAT; US-PGPUB; EPO; JPO
57	BRS	191	rotat\$4 near1 dove near1 prism\$1	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
58	BRS	0	(rotat\$4 near1 dove near1 prism\$1) and ("OVP" or (over adj head adj (projector or (project\$3 adj (device or unit or system or apparatus))))))	USPAT; US-PGPUB; EPO; JPO
59	BRS	0	(rotat\$4 near1 dove near1 prism\$1) and ("OVP" or (over adj head adj (projector or (project\$3 adj1 (device or unit or system or apparatus))))))	USPAT; US-PGPUB; EPO; JPO
60	BRS	0	(rotat\$4 near1 dove near1 prism\$1) and ("OVP" or (over adj head adj (projector or (project\$3 adj2 (device or unit or system or apparatus))))))	USPAT; US-PGPUB; EPO; JPO
61	BRS	0	(rotat\$4 near1 dove near1 prism\$1) and ("OVP" or (over adj head adj (projector or (project\$3 near (device or unit or system or	USPAT; US-PGPUB; EPO; JPO
62	BRS	0	(rotat\$4 near1 dove near1 prism\$1) with (erect\$3 or invert\$3)	USPAT; US-PGPUB; EPO; JPO
63	BRS	6	(rotat\$4 near1 dove near1 prism\$1) same (erect\$3 or invert\$3)	USPAT; US-PGPUB; EPO; JPO
64	BRS	0	("OVP" or (over adj head adj projector)) and ((image adj erect\$3) near1 prism\$1)	USOCR
65	BRS	0	("OVP" or (over adj head adj projector)) and ((image adj erect\$3) near1 prism\$1)	USPAT; US-PGPUB; EPO; JPO
66	BRS	0	("OVP" or (over adj head adj projector)) and ((image adj errect\$3) near1 prism\$1)	USPAT; US-PGPUB; EPO; JPO
67	BRS	49	353/\$ and (dove adj prism\$1)	USPAT; US-PGPUB; EPO; JPO
68	BRS	0	("OVP" or (over adj head adj projector)) and ((image adj rotat\$3) near1 prism\$1)	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
69	BRS	0	((image adj rotat\$3) near prism\$1) and ("OVP" or (over adj head adj (projector or (project\$3 adj (device or unit or system or apparatus))))))	USPAT; US-PGPUB; EPO; JPO
70	BRS	0	((image adj rotat\$4) near prism\$1) and ("OVP" or (over adj head adj (projector or (project\$3 adj (device or unit or system or apparatus))))))	USPAT; US-PGPUB; EPO; JPO
71	IS&R	1	("4702570").PN.	USPAT; US-PGPUB; EPO; JPO
72	IS&R	1	("5392161").PN.	USPAT; US-PGPUB; EPO; JPO
73	IS&R	4294	((353/119,24,28,62,63,71,74,77,79, 81,96,98,100,101,103,120,122) or (353/DIG.6) or (349/6)).CCLS.	USPAT; US-PGPUB; EPO; JPO
74	IS&R	4287	((353/119,24,28,62,63,71,74,77,79, 81,96,98,100,101,103,120,122) or (349/6)).CCLS.	USPAT; US-PGPUB; EPO; JPO